

COATS & CLARK'S

BOOK No. 173

29¢

The Doll Book

Fashions to Sew, Knit and Crochet



TISSUE PATTERNS FOR FABRIC CLOTHES INCLUDED

COATS & CLARK'S

BOOK No. 173

29¢

The Doll Book

Fashions to Sew, Knit and Crochet



TISSUE PATTERNS FOR FABRIC CLOTHES INCLUDED

DOLLS DOLLS DOLLS

High Fashion Wardrobe for Teen Age Dolls

Whether your favorite handcraft is knitting, crocheting or sewing, here you will find a wonderful selection of clothes that any little girl would love to own, to make her doll the best-dressed in town!

Tissue patterns for the sewed clothes are bound into the back of the book. Remove **carefully** so as not to tear. May we suggest you store the patterns and the book together in an envelope in case you wish to re-use them at a later date.

Quality has been our business for over
150 years
... depend on Coats & Clark.



COATS & CLARK'S Zippers • "O.N.T." Threads • "Red Heart" Yarns
Distributed by Coats & Clark's Sales Corp., 430 Park Ave., New York, N. Y. 10022
Copyright 1966, Coats & Clark Inc. First Edition—766 Printed in U.S.A.



Knit Evening Dress and Cape

Illustrated in color on front cover

Worked in pattern stitch, this elegant gown may be made with or without sequins as desired. The gloves are made of net, following instructions on page 29.



COATS & CLARK'S "RED HEART" SUPER FINGERING, 3 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 1 skein of No. 678 Peppermint.

Knitting Needles, 1 pair No. 1.

1000 Walco Strung 6 m/m Cup Sequins, Pink Iris.

A piece of orchid satin for lining;
5 small hooks and eyes.

11-inch doll.

GUAGE: 7 sts (1 pattern) = $\frac{3}{4}$ inch;
6 rows = $\frac{1}{2}$ inch.

String sequins on yarn before starting. With inside of cup facing the yarn, tie sequin thread around yarn and slide sequins over knot onto yarn.

DRESS

SKIRT Starting at lower edge, cast on 58 sts. **Next row:** K across. Work in pattern as follows: **1st row:** K 1, * k 3 tog, in next st (k 1, O) twice and k 1; sl 1, k 2 tog, p.s.s.o. Repeat from * across to within last st, k 1—58 sts, counting each O as a stitch. **2nd and 3rd rows:** K across. **4th row:** P across. **5th row:** K 1, * (slide a sequin down close to right-hand needle and draw both the sequin and the yarn

through the st—sequin st made; k 1) 3 times; make a sequin st. Repeat from * across to within last st, k 1—58 sts. **6th row:** P across. Repeat first through 6th row for pattern. Repeat pattern until total length is 7 inches, ending with the 3rd row. **Next row—waist:** (P 2 tog) twice; (p 2 tog, p 1) 16 times; (p 2 tog) 3 times—37 sts.

BODICE Work over these 37 sts as follows: **1st through 8th row:** Repeat 5th and 6th rows of pattern, then repeat first through 6th row. **9th row:** Repeat first row of pattern. **10th row:** (K 4, k in front and back of next st—one st increased) 7 times; k 2—44 sts. Starting with 3rd row of pattern, continue in pattern on 44 sts until 22nd row of Bodice has been completed. Bind off, purling.

Line dress with orchid satin. Sew back skirt seam to within $\frac{1}{2}$ inch of waist. Sew 4 hooks and eyes across remaining back opening.

CAPE

Starting at lower edge, cast on 79 sts. Work first through 6th row of pattern until total length is $2\frac{1}{2}$ inches, ending with 3rd row. **Next row:** P 4, (p 2 tog, p 2, p 2 tog, p 1) 10 times; p 2 tog, p 3—58 sts.

Continued on page 6

THREE-PIECE SUIT

Continued from page 5

NECKBAND With right side facing, starting at Left Back neck edge, pick up and k 36 sts evenly spaced across entire neck edge. K 2 rows. Bind off on wrong side in knitting.

Press through damp cloth. Sew 4 snap fasteners evenly spaced across back opening.

PANTIES

Starting at waist with No. 1 needles and a single strand of Spice, cast on 36 sts. Work 2 rows of k 1, p 1 ribbing. Now work in stockinette st (k 1 row, p 1 row) until total length is 1¼ inches. Work 2 rows of k 1, p 1 ribbing. **Next row:** Bind off 15 sts in ribbing, work over the next 6 sts for crotch, bind off remaining 15 sts in ribbing. Attach thread to first st of crotch and work in ribbing over these 6 sts for ½ inch. Bind off in ribbing.

Press through damp cloth. Sew both short ends together for back seam. Fold in half, having seam at center back. Sew bound-off edge of crotch to corresponding edge of opposite side. If necessary, draw a double strand of elastic thread through ribbing at waist.

HAT

CROWN Starting at center with No. 1 needles and Brown, cast on 3 sts. **1st row (wrong side):** P across. **2nd row:** Increasing one st in every st, k across—6 sts. Repeat last 2 rows twice more—there are 24 sts at end of last row. **7th and all uneven rows:** P across. **8th row:** (Inc one st in next st, k 2) 8 times—8 sts increased. **10th row:** (Inc one st in next st, k 3) 8 times—8 sts increased. Continue in this manner, increasing 8 sts evenly spaced on every k row until there are 64 sts on needle. Work even in stockinette st for ½ inch, ending with a k row. **Next row:** P 2 tog across—32 sts. **Following 2 rows:** Work in k 1, p 1 ribbing.

BRIM **1st row:** K across, increasing 8 sts evenly spaced—40 sts. **2nd row:** K across. Repeat last 2 rows once more, then repeat first row once—there are 56 sts on needle. Bind off on wrong side in knitting.

Press through damp cloth. Sew back seam.

HANDBAG

With No. 1 needles and single strand of Brown, cast on 15 sts and k 2 rows. Now work in stockinette st until total length is 1¾ inches, ending with a k row.

Flap: **1st row (wrong side):** K 2 tog, k across to within last 2 sts, k 2 tog. **2nd row:** K across. Repeat last 2 rows until 3 sts remain, ending with a right-side row. Bind off.

Press through damp cloth. Fold in half to start of flap and sew side edges together. Sew snap fastener at point of flap.

EVENING DRESS

Continued from page 3

Shoulder: **1st and 2nd rows:** Repeat 5th and 6th rows of pattern. **Next 3 rows:** Repeat first, 2nd and 3rd rows of pattern. **6th row:** (P 2 tog) twice; * p 1, p 2 tog. Repeat from * across to within last 3 sts, p 3 tog—37 sts. **7th and 8th rows:** Repeat 5th and 6th rows of pattern over these 37 sts. **Next 2 rows:** Repeat first and 2nd rows of pattern.

Collar: **1st row:** K 1, * k 2 tog. Repeat from * across—19 sts. **2nd row:** P across. **3rd row:** K 1, * sequin st, k 1. Repeat from * across. **4th row:** P across. Bind off, purling.

Line cape if desired. Fasten neck edges with hook and eye.

PANTIES

With Peppermint work Panties same as Panties on this page.

Crochet Coat, Dress and Hat

Illustrated in color on back cover

J. & P. COATS "KNIT-CRO-SHEEN": 2 balls of No. 131 Fudge Brown; 1 ball each of No. 65 Beauty Pink and No. 51 Spice.

Milwards Steel Crochet Hook No. 5.

3 small buttons for coat.

10-inch length of elastic thread.

11-inch doll.

GAUGE: For Dress: 7 star sts = 2 inches;
8 rows = 2 inches.

For Coat: 9 sts = 1 inch;
13 rows = 2 inches.

DRESS

BACK Starting at lower edge with Pink, ch 25. **1st row:** H dc in 3rd ch from hook, h dc in each ch across—23 h dc. Ch 3, turn. **2nd row:** Draw up a loop in 2nd ch from hook, bringing each loop to same height as first loop, draw up a loop in next ch, draw up a loop in back loop of each of first 2 h dc (5 loops on hook), thread over and draw through all loops on hook, ch 1 to form eye of star—starting star st made; * bringing each loop to same height as first loop, draw up a loop in eye of last star st (A on Fig. 1 on page 25), and in back of last loop drawn up on same star st (B on Fig. 1), draw up a loop in back loop of each of next 2 h dc (C and D on Fig. 1), thread over and draw through all loops on hook, ch 1 for eye—star st made. Repeat from * across, ending with h dc in back loop of last h dc—11 star sts. Ch 2, turn. **3rd row:** Make 2 h dc in eye of each star st



across, h dc in next ch—23 h dc (the turning ch-2 is not counted as a st). Ch 3, turn. Repeat 2nd and 3rd rows alternately for pattern. Work in pattern until total length is 4¼ inches, ending with 3rd row. Ch 3, turn. Mark each end st of last row for underarms.

Neck Shaping: **1st row:** Work in pattern until 4 star sts have been made, h dc in next st. Ch 2, turn. **Next 4 rows:** Work in pattern over this set of sts only. Break off and fasten. Skip next 5 sts on last long row, attach Pink in back loop of next h dc; ch 3 and work to correspond with other side.

FRONT Work as for Back until length is 4¼ inches, ending with 3rd row. Mark each end st of last row for underarms; continue in pattern for 4 more rows.

Neck Shaping: **1st row:** Work in pattern until 4 star sts have been made, h dc in next st. Ch 2, turn. **2nd row:** Make 2 h dc in the eye of each star st across, h dc in top of turning chain. Break off and fasten. Turn. Skip next 5 sts on last long row, attach Pink in back loop of next h dc, ch 3 and work to correspond with other side.

Continued on page 8

THREE-PIECE SUIT

Continued from page 5

NECKBAND With right side facing, starting at Left Back neck edge, pick up and k 36 sts evenly spaced across entire neck edge. K 2 rows. Bind off on wrong side in knitting.

Press through damp cloth. Sew 4 snap fasteners evenly spaced across back opening.

PANTIES

Starting at waist with No. 1 needles and a single strand of Spice, cast on 36 sts. Work 2 rows of k 1, p 1 ribbing. Now work in stockinette st (k 1 row, p 1 row) until total length is 1¼ inches. Work 2 rows of k 1, p 1 ribbing. **Next row:** Bind off 15 sts in ribbing, work over the next 6 sts for crotch, bind off remaining 15 sts in ribbing. Attach thread to first st of crotch and work in ribbing over these 6 sts for ½ inch. Bind off in ribbing.

Press through damp cloth. Sew both short ends together for back seam. Fold in half, having seam at center back. Sew bound-off edge of crotch to corresponding edge of opposite side. If necessary, draw a double strand of elastic thread through ribbing at waist.

HAT

CROWN Starting at center with No. 1 needles and Brown, cast on 3 sts. **1st row (wrong side):** P across. **2nd row:** Increasing one st in every st, k across—6 sts. Repeat last 2 rows twice more—there are 24 sts at end of last row. **7th and all uneven rows:** P across. **8th row:** (Inc one st in next st, k 2) 8 times—8 sts increased. **10th row:** (Inc one st in next st, k 3) 8 times—8 sts increased. Continue in this manner, increasing 8 sts evenly spaced on every k row until there are 64 sts on needle. Work even in stockinette st for ½ inch, ending with a k row. **Next row:** P 2 tog across—32 sts. **Following 2 rows:** Work in k 1, p 1 ribbing.

BRIM **1st row:** K across, increasing 8 sts evenly spaced—40 sts. **2nd row:** K across. Repeat last 2 rows once more, then repeat first row once—there are 56 sts on needle. Bind off on wrong side in knitting.

Press through damp cloth. Sew back seam.

HANDBAG

With No. 1 needles and single strand of Brown, cast on 15 sts and k 2 rows. Now work in stockinette st until total length is 1¼ inches, ending with a k row.

Flap: 1st row (wrong side): K 2 tog, k across to within last 2 sts, k 2 tog. **2nd row:** K across. Repeat last 2 rows until 3 sts remain, ending with a right-side row. Bind off.

Press through damp cloth. Fold in half to start of flap and sew side edges together. Sew snap fastener at point of flap.

EVENING DRESS

Continued from page 3

Shoulder: 1st and 2nd rows: Repeat 5th and 6th rows of pattern. **Next 3 rows:** Repeat first, 2nd and 3rd rows of pattern. **6th row:** (P 2 tog) twice; * p 1, p 2 tog. Repeat from * across to within last 3 sts, p 3 tog—37 sts. **7th and 8th rows:** Repeat 5th and 6th rows of pattern over these 37 sts. **Next 2 rows:** Repeat first and 2nd rows of pattern.

Collar: 1st row: K 1, * k 2 tog. Repeat from * across—19 sts. **2nd row:** P across. **3rd row:** K 1, * sequin st, k 1. Repeat from * across. **4th row:** P across. Bind off, purling.

Line cape if desired. Fasten neck edges with hook and eye.

PANTIES

With Peppermint work Panties same as Panties on this page.

Crochet Coat, Dress and Hat

Illustrated in color on back cover

J. & P. COATS "KNIT-CRO-SHEEN": 2 balls of No. 131 Fudge Brown; 1 ball each of No. 65 Beauty Pink and No. 51 Spice.

Milwards Steel Crochet Hook No. 5.

3 small buttons for coat.

10-inch length of elastic thread.

11-inch doll.

GAUGE: For Dress: 7 star sts = 2 inches;
8 rows = 2 inches.

For Coat: 9 sts = 1 inch;
13 rows = 2 inches.

DRESS

BACK Starting at lower edge with Pink, ch 25. **1st row:** H dc in 3rd ch from hook, h dc in each ch across—23 h dc. Ch 3, turn. **2nd row:** Draw up a loop in 2nd ch from hook, bringing each loop to same height as first loop, draw up a loop in next ch, draw up a loop in back loop of each of first 2 h dc (5 loops on hook), thread over and draw through all loops on hook, ch 1 to form eye of star—starting star st made; * bringing each loop to same height as first loop, draw up a loop in eye of last star st (A on Fig. 1 on page 25), and in back of last loop drawn up on same star st (B on Fig. 1), draw up a loop in back loop of each of next 2 h dc (C and D on Fig. 1), thread over and draw through all loops on hook, ch 1 for eye—star st made. Repeat from * across, ending with h dc in back loop of last h dc—11 star sts. Ch 2, turn. **3rd row:** Make 2 h dc in eye of each star st



across, h dc in next ch—23 h dc (the turning ch-2 is not counted as a st). Ch 3, turn. Repeat 2nd and 3rd rows alternately for pattern. Work in pattern until total length is 4¼ inches, ending with 3rd row. Ch 3, turn. Mark each end st of last row for underarms.

Neck Shaping: 1st row: Work in pattern until 4 star sts have been made, h dc in next st. Ch 2, turn. **Next 4 rows:** Work in pattern over this set of sts only. Break off and fasten. Skip next 5 sts on last long row, attach Pink in back loop of next h dc; ch 3 and work to correspond with other side.

FRONT Work as for Back until length is 4¼ inches, ending with 3rd row. Mark each end st of last row for underarms; continue in pattern for 4 more rows.

Neck Shaping: 1st row: Work in pattern until 4 star sts have been made, h dc in next st. Ch 2, turn. **2nd row:** Make 2 h dc in the eye of each star st across, h dc in top of turning chain. Break off and fasten. Turn. Skip next 5 sts on last long row, attach Pink in back loop of next h dc, ch 3 and work to correspond with other side.

Continued on page 8

COAT SET

Continued from page 7

Leaving the first $\frac{5}{8}$ inch open at lower edge, sew side seams, then sew shoulder seams. With right side facing, sc evenly around entire neck edge, holding it in to fit. Join with sl st to first sc. Break off and fasten. Sc around each armhole in same way.

TRIM With Fudge Brown, make a chain 18 inches long. **1st row:** Sc in 2nd ch from hook and in each ch across. Break off and fasten. **2nd row:** With right side facing and working along opposite side of starting chain, attach Spice in same ch where last sc was made, sc in same place, sc in each ch across. Break off and fasten.

Starting at right shoulder, place trim diagonally across front from shoulder to left side seam about $2\frac{1}{4}$ inches from lower edge, then place around hips. Arrange end into a bow and tack trim in place.

CAPT

Starting at lower edge with Fudge Brown, ch 151 to measure $17\frac{1}{2}$ inches. **1st row:** H dc in 3rd ch from hook, h dc in each ch across—149 h dc. Ch 2, turn.

NOTE: Hereafter work in the back loop only of each h dc throughout Coat and do not count the turning chain as one st.

2nd through 13th row: H dc in each h dc across—149 h dc. Ch 2, turn. **14th row:** H dc in 5 h dc, * thread over, draw up a loop in each of next 2 sts, thread over and draw through all loops on hook—1 h dc decreased; h dc in next 6 h dc. Repeat from * across—18 h dc decreased. Ch 2, turn. **15th row:** H dc in each h dc across. Ch 2, turn. **16th row:** Decreasing 18 h dc evenly spaced, h dc in each st across—113 h dc. Ch 2, turn. **17th row:** Repeat 15th row. **18th through 21st row:** Repeat 16th row. There are 41 h dc on last row. **22nd through 26th**

row: Repeat 15th row. **27th row:** H dc in first 3 h dc, 2 h dc in each of next 6 h dc, h dc in next 23 h dc, 2 h dc in each of next 6 h dc, h dc in last 3 h dc—53 h dc. Ch 2, turn. **28th row:** H dc in first 3 h dc, (2 h dc in next h dc, h dc in next 2 h dc) 3 times; 2 h dc in next h dc, h dc in next 27 h dc, (2 h dc in next h dc, h dc in next 2 h dc) 3 times; 2 h dc in next h dc, h dc in last 3 h dc—61 h dc. Ch 2, turn. **29th row:** Repeat 15th row. Ch 2, turn.

Armhole and Neck Shapings—Right Front: **1st row:** H dc in first 16 h dc. Ch 2, turn. **2nd and 3rd rows:** Skip first h dc, dec 1 h dc over next 2 h dc, h dc in each h dc across to within last 2 h dc, dec 1 h dc over last 2 h dc. Ch 2, turn. **4th row:** Skip first h dc, h dc in each h dc across, decreasing 1 h dc at end of row. Ch 2, turn. **5th row (neck edge):** Skip first h dc, dec 1 h dc over next 2 h dc, h dc in each remaining h dc. Ch 2, turn. **6th and 7th rows:** H dc in each h dc across. Ch 2, turn. Break off and fasten.

Back: Skip next 3 h dc on last long row, attach thread to next h dc. **1st row:** Ch 2, h dc in same place, h dc in next 22 h dc. Ch 2, turn. **2nd and 3rd rows:** Repeat 2nd and 3rd rows of Right Front. **Next 4 rows:** Repeat 6th row of Right Front. Break off and fasten.

Left Front: Skip next 3 h dc on last long row, attach thread to next h dc, ch 2 and work to correspond with Right Front, reversing shapings.

SLEEVES Starting at lower edge with Fudge Brown, ch 14. **1st row:** H dc in 3rd ch from hook, h dc in each ch across—12 h dc. Ch 2, turn. **2nd row:** H dc in each h dc across—12 h dc. Ch 2, turn. **3rd row:** 2 h dc in first h dc—1 h dc increased; h dc in each h dc to within last h dc, 2 h dc in last h dc—another h dc increased. Repeat last 2 rows alternately until there are 22 h dc on row. Omit turning chain at end of last row. Turn.

Continued on page 9

COAT *Continued from page 8*

Top Shaping: 1st row: Sl st in first h dc, ch 2, h dc in each h dc to within last 2 h dc. Ch 2, turn. **Next 4 rows:** Repeat 2nd row of Right Front. Break off and fasten.

COLLAR Starting at one point with Spice, ch 3. **1st row:** 3 h dc in 3rd ch from hook. Ch 2, turn.

NOTE: Hereafter work in back loop only of each h dc throughout.

2nd row: 3 h dc in first h dc—2 h dc increased at inner edge; h dc in each h dc across. Ch 2, turn. **3rd row:** H dc in each h dc to within last h dc, 3 h dc in last h dc. Ch 2, turn. **4th through 7th row:** Repeat 2nd and 3rd rows alternately. There are 15 h dc on last row. **8th row:** 2 h dc in first h dc, h dc in each h dc to within last 2 h dc, dec 1 h dc over last 2 h dc—15 h dc. Ch 2, turn. **9th row:** H dc in each h dc across. Ch 2, turn. **Next 8 rows:** Repeat last 2 rows alternately. **Following row:** Repeat 8th row. **Next row:** H dc in each h dc to within last 3 h dc, skip next st, dec 1 h dc over last 2 h dc—2 h dc decreased at end of row. Ch 2, turn. **Following row:** Skip first h dc, dec 1 h dc over next 2 h dc, h dc in each h dc across. Ch 2, turn. Repeat last 2 rows until 3 h dc remain. Break off and fasten.

Press lightly. Sew side, shoulder and sleeve seams. Sew in sleeves.

Buttonhole Band: 1st row: With right side facing and Fudge Brown, sc evenly along Right Front edge from lower edge to within first row of Armhole and Neck Shapings. Ch 1, turn. **2nd row:** Sc in each sc across. Ch 1, turn. **3rd row:** Sc in each sc across to within last 15 sc, (ch 2, skip 2 sc, sc in next 3 sc) 3 times—3 buttonholes made. Ch 1, turn. **4th row:** Sc in each sc and each ch across. Ch 1, turn. **5th row:** Repeat 2nd row. Break off and fasten.

With Fudge Brown make 5 rows of sc along left front edge for button band. Gathering inner edge to fit, sew collar to neck edge.

BUTTONS (Make 3) Starting at center with Spice, ch 2. **1st rnd:** 5 sc in 2nd ch from hook. **2nd rnd:** 2 sc in each sc around—10 sc. **3rd rnd:** * Draw up a loop in each of next 2 sc, thread over and draw through all 3 loops on hook. Repeat from * around, stuffing with cotton before opening becomes too small. Break off and fasten. Sew on buttons.

HAT

TOP Starting at center with Pink, ch 5. Join with sl st to form ring. **1st rnd:** Ch 1, make 10 h dc in ring. Do not join rnds, but carry a contrasting color thread up between last and first st to indicate beg of each rnd. **2nd rnd:** Working through back loop only of each h dc, make 2 h dc in each h dc around—20 h dc. **3rd rnd:** * H dc in next h dc, inc 1 h dc in next h dc. Repeat from * around—10 h dc increased. **4th rnd:** H dc in each h dc around, increasing 10 h dc evenly spaced—40 h dc. Sl st in next st. Break off and fasten.

SIDE Starting at center back with Pink, make a chain $2\frac{1}{2}$ inches long. **1st row:** H dc in 3rd ch from hook and in each ch across. Ch 2, turn. **2nd row:** H dc in each h dc across. Ch 2, turn. Repeat 2nd row until piece measures $4\frac{1}{2}$ inches. Break off and fasten. Sew short ends together.

Sew top to one end of side, gathering side to fit. Sc evenly over seam. Break off and fasten.

BAND With Brown make a chain 10 inches long and work as for Trim of Dress. Tie around hat $1\frac{1}{4}$ inches from lower edge. Turn brim up at one side.

PANTIES

Using Pink for panties and Spice for border, follow directions for Panties on page 16.



Crochet Après Ski Gown

Two-color shell stitch pattern,
decorated with rows of silver pearls

COATS & CLARK'S "RED HEART" BABY WOOL, 3 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 1 ounce each of No. 723 Baby Pink and No. 217 Lavender.

Milwards Steel Crochet Hook No. 1/0 (zero).

10 inches of elastic thread; 5 snap fasteners.

42 small plated silver pearls.

11-inch doll.

GAUGE: 1 shell and 1 sc = $\frac{3}{4}$ inch;
4 rows = 1 inch.

GOWN

BODICE—Front Starting at waist with Lavender, ch 10 to measure $1\frac{3}{4}$ inches. **1st row:** Sc in 2nd ch from hook, (skip next ch, 3 dc in next ch—shell made; skip next ch, sc in next ch) twice. Ch 3, turn. **2nd row:** Dc in first sc, sc in center dc of next shell, shell in next sc, sc in center dc of next shell, 2 dc in last sc. Ch 1, turn. **3rd row:** Sc in first dc, shell in next sc, sc in center dc of next shell, shell in next sc, sc in top of turning chain. Ch 3, turn. **4th row:** Dc in first sc, sc in first dc of next shell, shell in next dc of same shell, sc in next dc of same shell—an inc made; shell in next sc, make an inc over next shell as before, 2 dc in last sc. Ch 1, turn. **5th row:** Sc in first dc, (shell in next sc, sc in center dc of next shell) 3 times; shell in next sc, sc in top of turning chain. Ch 3, turn. **6th row:** Dc in first sc, (sc in center dc of next shell, shell in next sc) 3 times; sc in center dc of next shell, 2 dc in last sc. Ch 1, turn. **7th row:** Repeat 5th

row—this is neck edge. Break off and fasten.

EDGING With right side facing and working along side, neck and other side edge, attach Pink at lower corner of side edge. **1st row:** Sc closely across side edge, make 3 sc in next corner, sc in each st across neck edge, 3 sc in next corner, sc closely across next side edge. Break off and fasten. **2nd row:** Attach Pink to first sc of previous row, sc in each sc across to next corner st, * sc in next sc, ch 2, sc in 2nd ch from hook—picot made. Repeat from * across to next corner st, sc in each sc across next side edge. Break off and fasten.

BACK With Pink work same as Front. With Lavender work Edging same as front edging.

Sew Front and Back corners of neck edge together for shoulder seams. Leaving 1 inch free for armholes, sew 3 pearls for buttons evenly spaced across each remaining side edge of Back, using corresponding sc of Front for buttonholes.

SKIRT Starting at waist with Lavender, ch 26 to measure $4\frac{1}{2}$ inches. **1st row:** Sc in 2nd ch from hook, * skip next ch, shell in next ch, skip next ch, sc in next ch. Repeat from * across. There are 6 shells and 7 sc on row. Drop Lavender from hook, do not turn. **2nd row:** With right side facing, attach Pink to first sc of previous row, ch 3, (the ch-3 always counts as 1 dc) 2 dc in same place, * sc in center dc of next shell, shell in next sc. Repeat from * across, ending with 2 dc in last sc, yarn over,

Continued on page 21



Crochet Tea Set and Cloth

Illustrated on page 11

Tablecloth measures 12 inches in diameter.

CLARK'S "BIG BALL" MERCERIZED CROCHET,
Size 30: 1 ball each of No. 1 White
and No. 108 Steel Blue.

Milwards Steel Crochet Hook No. 12.

GAUGE: 12 sc = 1 inch;
14 rows = 1 inch.

TABLECLOTH—Center Starting at center with White, ch 2. **1st rnd:** Make 7 sc in 2nd ch from hook. Do not join rnds but carry a colored thread up between last and first st of each rnd to indicate beg of rnd. **2nd rnd:** 2 sc in each sc around—14 sc. **3rd rnd:** * 2 sc in next sc—1 sc increased; sc in next sc. Repeat from * around—21 sc. **4th rnd:** * 2 sc in next sc, sc in next 2 sc. Repeat from * around—28 sc. **5th rnd:** Increasing 7 sc evenly spaced, sc in each sc around, being careful not to make incs over incs of previous rnd. Repeat 5th rnd until there are 336 sc on rnd. At end of last rnd, sl st in next sc. **Do not break off.**

SKIRT 1st rnd: Ch 9, thread over, draw up a loop in 7th ch from hook, thread over, skip next 2 sc, draw up a loop in next sc, (thread over and draw through 2 loops) 4 times—starting cross st made; * ch 5, thread over 3 times, skip next 4 sc, draw up a loop in next sc, (thread over and draw through 2 loops) twice; thread over, skip next 2 sc, draw up a loop in next sc, (thread over and draw through 2 loops) 4 times; ch 3, dc in center point of cross st—cross st made. Repeat from * around, ending with ch 2, dc in top loop of starting cross st to form last sp—42 cross sts. **2nd rnd:** Ch 1, sc in sp just formed, * ch 5, sc in next



ch-3 sp, ch 5, sc in next ch-5 sp. Repeat from * around, ending with ch 2, dc in first sc to form last loop—84 loops. **3rd rnd:** Ch 1, sc in loop just formed, * ch 5, sc in next loop. Repeat from * around, ending with ch 2, dc in first sc. **4th rnd:** Ch 1, sc in loop just formed, ch 5, sc in next loop, * ch 5, in next loop make sc, ch 5 and sc; (ch 5, sc in next loop) twice. Repeat from * around, ending as on 3rd rnd—112 loops. **5th rnd:** Ch 4, * tr in next loop, ch 4, skip next loop, holding back on hook the last loop of each tr, make 2 tr in next loop, thread over and draw through all loops on hook—cluster made; ch 1, in same loop make cluster, ch 5, cluster, ch 1 and cluster; ch 4, skip next loop, (tr in next loop) twice; in next loop make 2 tr, ch 3 and 2 tr; tr in next loop. Repeat from * around, ending with 2 tr, ch 3 and 2 tr in last loop. Join to top of ch-4. **6th rnd:** Sl st in next tr and following ch, ch 8, * cluster in next ch-1 sp, in next ch-5 sp make (ch 1, cluster) twice; ch 5, in same sp make (cluster, ch 1) twice; cluster in next ch-1 sp, ch 4, tr in next ch-4 sp, in next ch-3 sp make 2 tr, ch 3 and 2 tr; tr in next ch-4 sp, ch 4. Repeat from * around, ending with 2 tr, ch 3 and 2 tr in last ch-3 sp. Join to 4th ch of ch-8. **7th rnd:** Sl st in next ch, ch 9, * (cluster in next ch-1 sp, ch 1) twice; in next ch-5 sp make cluster, ch 1, cluster, ch 5, cluster, ch 1 and cluster; (ch 1, cluster in next ch-1 sp) twice; ch 5, tr in next ch-4 sp, in next ch-3 sp make 2 tr, ch 3 and 2 tr; tr in next ch-4 sp, ch 5. Repeat from * around, ending as on 6th rnd. Join to 4th ch of ch-9.

Continued on page 13

TABLECLOTH Continued from page 12

NOTE: Hereafter, make clusters with 3-tr instead of 2-tr.

8th and 9th rnds: Sl st in next ch, ch 9, * skip next 2 clusters, (3-tr cluster in next ch-1 sp, ch 1) twice; in next ch-5 sp make 3-tr cluster, ch 1, 3-tr cluster, ch 5, 3-tr cluster, ch 1 and 3-tr cluster; (ch 1, 3-tr cluster in next ch-1 sp) twice; ch 5, tr in next ch-5 sp, in next ch-3 sp make 2 tr, ch 3 and 2 tr; tr in next sp, ch 5. Repeat from * around. Join as on 7th rnd. **10th rnd:** Sl st in next ch, ch 11, sl st in 3rd ch from hook, * (3 tr in next ch-1 sp, ch 3, sl st in 3rd ch from hook—picot made) 3 times; in next ch-5 sp make (3 tr, picot) 4 times; (3 tr in next ch-1 sp, picot) 3 times; ch 4, tr in next sp, picot, in next ch-3 sp make 2 tr, picot and 2 tr; picot, tr in next ch-5 space, ch 4, picot. Repeat from * around. Join to 4th ch of ch-11. Break off and fasten. Press.

SAUCER (Make 6) With Blue, work as for Center of Tablecloth until there are 49 sc on rnd. **Next 2 rnds:** Sc in each sc around. At end of last rnd, sl st in next sc. Break off and fasten. Attach White to any st. **Last rnd:** Sc in each sc around, sl st in first sc. Break off and fasten.

CUP (Make 6) With Blue, work as for Center of Tablecloth until the 3rd rnd has been completed—21 sc. **Next 7 rnds:** Sc in each sc around. At end of last rnd, sl st in next sc. Ch 11, sl st in the sc of 2nd rnd, directly below last sc made for handle. Break off and fasten. Attach White to last ch made on handle, then sl st in each ch of handle to top rim of cup. **Last rnd:** Working along top rim of cup with White, sc in each sc around. Join. Break off and fasten.

TEAPOT Starting at top, work as for Center of Tablecloth until the 3rd rnd has been completed—21 sc. Break off and fasten. Attach Blue to any sc. **4th rnd:** Sc in each sc around. **5th rnd:** Increasing 7 sc evenly spaced, sc in each sc around—28 sc. **6th rnd:** Repeat 4th rnd.


Drop Blue, attach White. **7th rnd:** Sl st in front loop of each sc around. Join with sl st to first sl st. Break off White and fasten. Pick up Blue. **8th rnd:** Working in the free loop of each sc of 6th rnd and increasing 7 sc evenly spaced, sc in each sc around—35 sc. **9th rnd:** Working through both loops of each sc and increasing 7 sc evenly spaced, sc in each sc around. **10th rnd:** Repeat 4th rnd. Repeat last 2 rnds twice more—56 sc. **Next 3 rnds:** Repeat 4th rnd. **Following 5 rnds:** Decreasing 7 sc evenly spaced, sc in each sc around; to dec 1 sc, draw up a loop in each of next 2 sc, thread over and draw through all loops on hook—21 sc. At end of last rnd, sl st in next sc. Break off and fasten.

SPOUT Starting at tip with White, ch 2. **1st rnd:** Make 9 sc in 2nd ch from hook. Join. Break off and fasten. Attach Blue to any sc. **Next 6 rnds:** Sc in each sc around. At end of last rnd, sl st in next sc. Break off and fasten.

HANDLE With Blue, ch 18. **1st row:** Sc in 2nd ch from hook and in each ch across. Break off and fasten. Attach White to first sc made. **2nd row:** Sl st in each sc across. Break off and fasten. Stuff Teapot and Spout. Sew Spout and Handle to Teapot.

BUN BASKET Work as for Center of Tablecloth until the 3rd rnd has been completed—21 sc. **4th rnd:** Sc in each sc around. **5th rnd:** Increasing 7 sc evenly spaced, sc in each sc around—28 sc. **Next 5 rnds:** Repeat 4th rnd. **11th through 14th rnd:** Repeat 5th and 4th rnds twice—42 sc. **Next 2 rnds:** Repeat 5th rnd—56 sc. **17th through 20th rnd:** Increasing 8 sc evenly spaced, sc in each sc around. There are 88 sc on last rnd. Join, break off and fasten. Attach White to any sc. **21st rnd:** Sc in same sc, ch 4, * skip next 3 sc, sc in next sc, ch 4. Repeat from * around. Join to first sc. **22nd rnd:** Make 4 sc in each loop around. Join. Break off and fasten.

Continued on page 21



Crochet Shift Dress and Stole

Illustrated at right on opposite page

J. & P. COATS METALLIC "KNIT-CRO-SHEEN":
1 ball each of No. 24-A Platinum and
No. 76 Robinette.

Milwards Steel Crochet Hook No. 7.

11-inch doll.

10 inches of elastic thread.

GAUGE: 9 sc = 1 inch;
10 rows = 1 inch.

DRESS

FRONT Starting at lower edge with Platinum, ch 35. **1st row (right side):** Sc in 2nd ch from hook, sc in each ch across—34 sc. Ch 1, turn. **2nd and 3rd rows:** Sc in each sc across. Ch 1, turn. **4th row:** Sc in each sc across to within last sc, insert hook in last sc, draw up a loop, drop Platinum, attach Robinette, with Robinette thread over and draw through 2 loops on hook. **Always change colors in this way.** Ch 1, turn. **5th row:** Draw up a loop in each of first 2 sc, thread over and draw through all 3 loops on hook—1 sc decreased; sc in each sc across to within last 2 sc, dec 1 sc over last 2 sc. Ch 1, turn. **Next 2 rows:** Repeat 2nd row. **8th row:** Sc in each sc across, on last sc change colors as before. Ch 1, turn.

NOTE: Hereafter always work 4 rows with Platinum and 4 rows with Robinette alternately.

9th row: Repeat 5th row. **Next 3 rows:** Repeat 2nd row. **13th through 16th row:** Repeat last 4 rows. **17th row:** Repeat 5th row. **Next 7 rows:** Repeat 2nd row. **25th through 32nd row:** Repeat last 8 rows. **33rd row:** Dec 1 sc over first 2 sc, sc in next 3 sc, dec 1 sc over next 2 sc, sc in

next 10 sc, dec 1 sc over next 2 sc, sc in next 3 sc, dec 1 sc over last 2 sc. Ch 1, turn. **34th row:** Repeat 2nd row. **35th row:** Sc in first 4 sc, dec 1 sc over next 2 sc, sc in next 8 sc, dec 1 sc over next 2 sc, sc in next 4 sc. Ch 1, turn. **36th through 44th row:** Repeat 2nd row. **45th row:** 2 sc in first sc, sc in next 3 sc, 2 sc in next sc, sc in next 8 sc, 2 sc in next sc, sc in next 3 sc, 2 sc in next sc. Ch 1, turn. **46th row:** 2 sc in first sc, sc in next 4 sc, 2 sc in next sc, sc in next 10 sc, 2 sc in next sc, sc in next 4 sc, 2 sc in next sc. Ch 1, turn. **47th row:** 2 sc in first sc, sc in next 5 sc, 2 sc in next sc, sc in next 12 sc, 2 sc in next sc, sc in next 5 sc, 2 sc in next sc. Ch 1, turn. **48th row:** 2 sc in first sc, sc in next 6 sc, 2 sc in next sc, sc in next 14 sc, 2 sc in next sc, sc in next 6 sc, 2 sc in next sc. Ch 7 for sleeve, turn. **49th row:** Sc in 2nd ch from hook, sc in next 5 ch, sc in each sc across. Ch 7 for other sleeve, turn. **50th row:** Sc in 2nd ch from hook, sc in next 5 ch, sc in each sc across. Ch 1, turn. **51st through 60th row:** Repeat 2nd row. Break off and fasten.

BACK Work as for Front until the 44th row has been completed. Ch 1, turn.

Neck and Sleeve Shapings: **1st row:** 2 sc in first sc, sc in next 6 sc. Ch 1, turn. **2nd row:** Sc in next 7 sc, 2 sc in next sc. Ch 1, turn. **3rd row:** 2 sc in first sc, sc in next 8 sc. Ch 1, turn. **4th row:** Sc in next 9 sc, 2 sc in next sc. Ch 7 for sleeve, turn. **5th row:** Sc in 2nd ch from hook, sc in next 5 ch, sc in each sc across. Ch 1, turn. **6th through 16th row:** Repeat 2nd row of Front. Break off and fasten.

Continued on page 20



Directions for Suit Set at left on Pages 16 and 17



Crochet Suit Set

Illustrated on page 15

Set consists of panties,
blouse, skirt, jacket,
hat and bag

COATS & CLARK'S "RED HEART" SUPER FINGERING, 3 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 1 skein each of No. 410 Powder Blue and No. 426 Mulberry.

Milwards Steel Crochet Hook No. 1.

½ yard of elastic thread.

11-inch doll.

GAUGE: 8 sc = 1 inch;
7 sc rows = 1 inch.

PANTIES

With Mulberry and starting at waist edge, ch 30. Being careful not to twist chain, join with sl st to form ring. **1st rnd:** Ch 1, sc in joining and in each ch around. Join. **Next 9 rnds:** Ch 1, sc in joining and in each sc around. Join. **Next rnd:** Ch 1, sc in joining and in next 14 sc, ch 2. Join to first sc to start right leg. **Following rnd:** Ch 1, sc in joining and in next 14 sc, sc in next 2 ch. Join. Break off and fasten. To start left leg, attach yarn to the free sc following the ch-2, ch 1, sc in same sc and in next 14 sc, sc in opposite side of next 2 ch. Join. **Next rnd:** Ch 1, sc in joining and in each sc around. Join. Break off and fasten.

Border: With Blue work 1 rnd of sc around each leg opening. Using a 10-

inch length of elastic doubled, draw through top edge of panties and pull in to fit. Tie ends securely.

SKIRT

BACK Starting at lower edge with Blue, ch 27 to measure 3½ inches. **1st row:** Sc in 2nd ch from hook and in each ch across—26 sc. Ch 1, turn.

NOTE: Hereafter work in the **back** loop only of each sc.

2nd through 6th row: Sc in each sc across. Ch 1, turn. **7th row:** Draw up a loop in each of first 2 sc, yarn over and draw through all loops on hook—1 sc decreased; sc in each sc across to within last 2 sc, dec 1 sc over last 2 sc. Ch 1, turn. **Next 8 rows:** Repeat 2nd and 7th rows alternately. There are 16 sc on last row. Repeat 2nd row until total length is 3 inches. Break off and fasten.

FRONT Work same as Back.

Press lightly. Sew side seams. Draw elastic thread through top edge of skirt, pull in to fit and tie securely.

BORDER With right side facing and working around lower edge, attach Mulberry to one side seam, ch 1, sc in same place; **working from left to right** * sc in next st to the **right**. Repeat from * around. Join with sl st to first sc. Break off and fasten.

JACKET

BACK Starting at lower edge with Blue, ch 20. **1st row:** Sc in 2nd ch from hook and in each ch across. Ch 1, turn.

NOTE: Hereafter work in the **back** loop only of each sc.

2nd row: Sc in each sc across. Ch 1, turn. Repeat 2nd row until piece measures 2 inches.

Armhole Shaping: 1st and 2nd rows: Decreasing 1 sc at each side, sc in each sc across. Ch 1, turn. **Next 5 rows:** Sc in each sc across—15 sc. Ch 1, turn. Break off and fasten.

JACKET *Continued from page 16*

LEFT FRONT Starting at lower edge with Blue, ch 12. Work as for Back, until piece measures 2 inches.

Armhole and Neck Shaping: 1st and 2nd rows: Repeat first and 2nd rows of Back Armhole Shaping. **3rd row:** Sc in each sc across. Ch 1, turn. **4th row:** Sc in each sc across to within last 2 sc, dec 1 sc over last 2 sc. Ch 1, turn. **Next 3 rows:** Repeat 3rd, 4th and 3rd rows. Break off and fasten.

RIGHT FRONT Work same as Left Front, reversing shapings.

NOTE: Hereafter work through **both** loops of each stitch.

SLEEVES With Blue, ch 17. **1st row:** Sc in 2nd ch from hook and in each ch across—16 sc. Ch 1, turn. **2nd row:** In first sc make sc, ch 2 and sc—shell made; * skip next 2 sc, shell in next sc. Repeat from * across. Ch 1, turn. **3rd row:** Make a shell in each ch-2 sp across. Ch 1, turn. Repeat 3rd row until total length is 2 inches.

Top Shaping: 1st row: Sl st in first sc and in first ch-2 sp, * shell in next ch-2 sp. Repeat from * across to within last ch-2 sp, sl st in last ch-2 sp—1 shell decreased at each side. Ch 1, turn. **2nd and 3rd rows:** Repeat 3rd row of Sleeve. **4th row:** Repeat first row of Top Shaping. Break off and fasten.

Sew shoulder, side and sleeve seams. Sew in sleeves.

BORDER Working along entire outer edge, repeat Border of Skirt.

BLOUSE

BACK Starting at waist, with Mulberry, ch 23. **1st row:** Sc in 2nd ch from hook and in each ch across. Ch 1, turn. **2nd and 3rd rows:** Working through **both** loops of each stitch, repeat 2nd and 3rd rows of Sleeve of Jacket. Repeat 3rd row of Sleeve for pattern. Work in pattern

until total length is 1 inch. **Inc row:** Shell in first sc, * shell in next ch-2 sp. Repeat from * across, ending with shell in last sc—1 shell increased at each side. Ch 1, turn. Work even in pattern until total length is 2½ inches. Break off and fasten.

FRONT Work same as Back.

Using 6 sts at each side of each piece, sew shoulder seams. Leaving ⅞ inch free for armhole, sew side seams. With Blue make a chain 3 inches long; make a bow and sew to center of front, just below neckline.

BORDER With Blue, repeat Border of Skirt.

HAT

FRONT SECTION Starting at lower edge with Mulberry, ch 20. Work as for Back of Blouse until piece measures ¾ inch. **Next row:** Repeat inc row of Back of Blouse. Work even in pattern until total length is 1½ inches. Break off and fasten.

BACK SECTION Work same as Front Section.

Sew pieces together, leaving the starting chains open. Work Border and bow same as Blouse. Sew bow in place as shown.

BAG

With Mulberry, ch 14. Work as for Back of Blouse until piece measures 2¼ inches. **Next row:** Sc in first ch-2 sp, work in pattern across to within last shell, sc in last ch-2 sp. Ch 1, turn. **Following row:** Sl st in first sc, sc in next ch-2 sp, shell in next ch-2 sp, sc in next sc (the last 2 rows form flap). Break off and fasten.

Leaving flap free, fold piece in half across width and sew sides together. With Blue make a chain 5 inches long. Sew in place for strap. Make another chain 3 inches long; make a bow and sew to point of flap.

Continued on page 17

Knit Ski Outfit

Illustrated at right on opposite page

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 1 ounce of No. 758 Mid Rose for Sweater and Hood, and 1 ounce of No. 679 Nile Green for Pants.

Knitting Needles, 1 pair No. 4.

11-inch doll.

GAUGE: Stockinette Stitch: 5 sts = 1 inch;
7 rows = 1 inch.

SWEATER

Sweater and Hood are worked with Mid Rose.

BACK Starting at lower edge, cast on 17 sts. **1st row—wrong side:** K 1, p 1, k 1, p 2, k 1, (p 1, k 1) 3 times; p 2, k 1, p 1, k 1. **2nd row:** P 1, k 1, p 1, k 2, p 1 (k 1, p 1) 3 times; k 2, p 1, k 1, p 1. **3rd row:** Repeat first row. Work in pattern as follows: **1st row:** (K 2, p 1) twice; k 5, (p 1, k 2) twice. **2nd row:** (P 2, k 1) twice; p 5, (k 1, p 2) twice. **3rd row:** Repeat first row. **4th row:** Repeat 2nd row. **5th row:** K 2, p 1, skip next st, k in back of 2nd st on left-hand needle, but leave it on the needle, k the skipped st, slip both sts off left-hand needle—mock cable made—p 1, k 5, p 1, make a mock cable over next 2 sts, p 1, k 2. Repeat last 4 rows (2nd through 5th row) for pattern. Work in pattern until total length is 2 inches, ending with a wrong-side row.

Armhole Shaping: Next row: Decreasing one st at each end, work in pattern across—15 sts. Continue in pattern for 1 inch.

Shoulder and Neck Shaping: Next row: Work in pattern across first 3 sts, bind off next 9 sts, work in pattern over remaining 3 sts.

FRONT **1st row:** Work in pattern across 3 sts, cast on 9 sts over the bound-off sts, work last 3 sts—15 sts. Continue in pattern for 1 inch.

Armhole Shaping: Increasing one st at each end, work in pattern across—17 sts. Continue in pattern until front measures 2¾ inches, ending with a right-side row. Now repeat first 3 rows of Back. Bind off in ribbing.

SLEEVES Starting at wrist edge, cast on 10 sts. **1st and 3rd rows—wrong side:** (P 1, k 1) twice; p 2, (k 1, p 1) twice. **2nd row:** (K 1, p 1) twice; k 2, (p 1, k 1) twice. **4th row:** K in front and in back of first st, k 2, p 1, k 2, p 1, k 1, k in front and in back of next st, k 1—12 sts. **5th and every uneven row:** P 4, k 1, p 2, k 1, p 4. **6th row:** K 4, p 1, make a mock cable over next 2 sts, p 1, k 4. **8th row:** K 4, p 1, k 2, p 1, k 4. Repeat last 4 rows (5th through 8th row) for pattern. Work in pattern until total length is 2¾ inches.

Top Shaping: Next 4 rows: Decreasing one st at each end, work in pattern across. Bind off. Sew sleeve and side seams, sew in sleeves.

HOOD Cast on 10 sts. **1st row:** Sl 1—front edge; k 9. **2nd row:** P 9, k 1. Repeat the 2 rows alternately for 6 inches. Bind off. Press lightly. Fold hood in half and sew center back seam. With back seam at center back of neck edge and front

Continued on page 20



Directions for Sports Outfit at left on Page 33

KNIT SKI OUTFIT

Continued from page 18

edges meeting at center front of neck edge, sew to sweater. Lace a strand of Green through sts at neck edge and tie in front into a bow.

PANTS

Starting at waist with Green, cast on 20 sts. Work in k 1, p 1 ribbing for 3 rows. Now work as follows: **1st row:** Inc in first st, k 8, inc in next st, place a marker on needle, inc in next st, k 8, inc in last st—24 sts. **Always slip marker.** **2nd and every even row:** Purl. **3rd row:** Inc in first st, k to within one st before marker, inc in each of the next 2 sts,

k to within last st, inc in last st—4 sts increased. Repeat last 2 rows until 36 sts are on needle, ending with a p row. **9th and 11th rows:** Inc in first st, k to marker, sl 1, k to within last st, inc in last st—2 sts increased. **12th row:** P 40 sts.

FIRST LEG Now work across first 20 sts only. **1st row:** K 20, turn. Continue in stockinette st (p 1 row, k 1 row) decreasing one st at both ends of every 6th row until 10 sts remain. Work even until total length is 6 inches. Work in k 1, p 1 ribbing for 3 rows. Bind off in ribbing.

SECOND LEG Attach Green to next free st and k across—20 sts. Complete as for First Leg. Sew center back and leg seams.

SHIFT DRESS and STOLE

Continued from page 14

Skip next 4 sc on last long row, attach Robinette to next sc. Sc in same place where thread was attached, sc in next 5 sc, 2 sc in last sc. Ch 1, turn. Complete as for other side, reversing shapings.

Sew shoulder and side seams.

EDGING With right side facing and working around entire neck opening, attach Platinum to right shoulder seam, * working from left to right, sc in next st to the right. Repeat from * around. Join with sl st to first sc. Break off and fasten. Press lightly.

PANTIES

Starting at waist with Platinum, ch 36. Follow directions for Crochet Panties on page 16 until the 10th rnd has been completed. **Next rnd:** Ch 1, sc in joining and in next 17 sc, ch 2. Join to first sc to start right leg. **Following rnd:** Ch 1, sc in joining and in next 17 sc, sc in next 2 ch. Join. Break off and fasten. To start left leg, attach thread to the free sc following the ch-2, ch 1, sc in same sc

and in next 17 sc, sc in opposite side of next 2 ch. Join. **Next rnd:** Ch 1, sc in joining and in each sc around. Join. Break off and fasten. Starting with Border and Robinette complete as for Panties on page 16.

STOLE

Starting at narrow edge with Robinette, ch 20. **1st row:** In 5th ch from hook make dc, ch 3 and dc—V st made; * skip next 3 ch, V st in next ch. Repeat from * across to within last 3 ch, skip next 2 ch, dc in last ch. Ch 3; turn. **2nd row:** * V st in sp of next V st. Repeat from * across, dc in top of ch-5. Ch 3, turn. **3rd row:** * V st in sp of next V st. Repeat from * across, dc in top of turning chain. Ch 3, turn. Repeat last row until total length is 9½ inches. Break off and fasten.

FRINGE Cut 3 strands of either color, each 4 inches long. Double these strands to form a loop, insert hook from back to front through a V st sp on narrow edge and draw loop through. Draw loose ends through loop and pull up tightly. Make 6 fringe across each narrow edge, alternating colors. Trim evenly.

APRÉS SKI GOWN

Continued from page 10

draw up a loop in same sc, yarn over and draw through 2 loops on hook, drop Pink, pick up Lavender loop and draw loop up to height of last dc, with Lavender yarn over and draw through all loops on hook. Ch 3, turn. **3rd row:** Dc in first dc, sc in next dc, skip next dc, * shell in next sc, sc in center dc of next shell. Repeat from * across, ending with 2 dc in top of turning chain. Drop Lavender loop, **do not turn.** Pick up Pink at beg of row. **4th row:** Insert hook in top of ch-3 of previous row and draw Pink through, ch 1, sc in same place, * shell in next sc, sc in center dc of next shell. Repeat from * across, ending with shell in last sc, draw up a loop in last dc, drop Pink, pick up Lavender loop, with Lavender, yarn over and draw through all loops on hook to complete last sc. Ch 3, turn. There are 7 shells and 8 sc on 4th row. **5th row:** Make 2 dc in first sc, sc in center dc of next shell, * shell in next sc, sc in center dc of next shell. Repeat from * across, ending with shell in last sc. Drop Lavender loop. Pick up Pink at beg of row as before and ch 3.

NOTE: Hereafter always work 1 row with Lavender and 1 row with Pink alternately, turning rows where established.

Next 6 rows: Repeat 3rd, 4th and 5th rows twice, alternating colors. **12th and 13th rows:** Repeat 3rd and 4th rows. At end of 13th row there are 10 shells and 11 sc on row. Drop Lavender, **do not turn.** **14th row:** Draw Pink through first sc of previous row, ch 3, dc in first sc, sc in center dc of next shell, * shell in next sc, sc in center dc of next shell. Repeat from * across, ending with 2 dc in last sc. Change color as before. With Lavender, ch 1, turn. **15th row:** Sc in first dc, * shell in next sc, sc in center dc of next shell. Repeat from * across, ending with sc in top of ch-3. Drop Laven-

der, **do not turn.** Repeat last 2 rows alternately until total length is 6 inches, ending with a Lavender row. Break off both colors and fasten.

EDGING 1st row: With right side facing, attach Lavender at top of side edge, sc closely across side edge. Change to Pink; making 3 sc in each corner, sc in each st across last row of Skirt, sc closely across next side edge. Break off both colors and fasten. **2nd row:** With right side facing, attach Pink to any sc 1½ inches before first corner, ch 1, sc in same place, * ch 2, sc in 2nd ch from hook, sc in next sc. Repeat from * across lower edge and next side edge. Break off and fasten.

Sew Skirt to Bodice. Sew 28 pearls evenly spaced along front side edge and lower edge for trimming. Leaving 1½ inches free at lower edge, sew snap fasteners to remainder of side edge. String remaining pearls to form a bracelet.

PANTIES Using Pink for panties and Lavender for border, follow directions for panties on page 16.

TEA SET

Continued from page 13

HANDLE With Blue, ch 38. **1st row:** Sc in 2nd ch from hook and in each ch across—37 sc. Break off and fasten. Attach White to last sc made. Ch 1, turn. **2nd row:** Sc in first st, * ch 3, skip next 3 sts, sc in next st. Repeat from * across. Ch 1, turn. **3rd row:** Make 4 sc in each loop across. Break off and fasten. With wrong side of 3rd row facing and working along opposite side of starting chain, attach White to first ch, then repeat 2nd and 3rd rows. Break off and fasten. Sew Handle to Bun Basket. Sew a cup to each Saucer. Arrange entire tea set on tablecloth and sew in place.

Baby Doll Set . . . Coat, Dress,

Bonnet, Bootees and Panties

. . . to fit 12-inch Baby Doll



COATS & CLARK'S "RED HEART" BABY WOOL, 3 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 3 ounces of No. 261 Maize.

COATS & CLARK'S "O.N.T." SIX STRAND FLOSS: 2 skeins of No. 46-B Beauty Rose and 1 skein of No. 48 Hunter's Green.

Knitting Needles, 1 pair No. 2.

Milwards Tapestry Needle No. 22.

4 small snap fasteners.

¼ yard white elastic, ¼ inch wide.

Baby Doll, 11½-12-inch length; 7¾ inches around chest.

GAUGE: 8 sts = 1 inch; 11 rows = 1 inch.

COAT

BACK Starting at lower edge, cast on 65 sts. **1st row**: K 1, * p 1, k 1. Repeat from * across. Repeat this row for moss st. **Next 6 rows**: Work even in moss st. Now work in stockinette st (k 1 row, p 1 row) until total length is 4 inches, ending with a k row. **Next row**: Decreasing 19 sts evenly spaced, p across—46 sts. At end of row cast on 8 sts for Sleeve.

SLEEVES **Next 3 rows**: Continuing in stockinette st, work across the cast-on sts and across row. At end of row cast on 8 sts. **4th row**: P across the 78 sts on needle. **5th row**: (K 1, p 1) twice; k across

to within last 4 sts, (p 1, k 1) twice. Working 4 sts at each sleeve edge in moss st and remaining sts in stockinette st, work even until length from first row of Sleeves is 2 inches. Bind off 30 sts at beg of next 2 rows. Bind off remaining 18 sts for back of neck.

LEFT FRONT Starting at lower edge, cast on 33 sts. Work in moss st for 7 rows. **8th row**: K 29, (p 1, k 1) twice—front band. **9th row**: K 1, (p 1, k 1) twice—front band; p across. Repeat last 2 rows alternately, until total length is 4 inches, ending at front edge. Decreasing 10 sts evenly spaced across the stockinette st section only, work across—23 sts. At end of row, cast on 8 sts for Sleeve.

Sleeve: **1st row**: Work across the cast-on sts and continue as before across row. **2nd row**: Work across, cast on 8 sts. **3rd row**: Repeat first row—39 sts. **4th row**: K 1, (p 1, k 1) twice; p across. **5th row** (sleeve edge): (K 1, p 1) twice; k 31, (p 1, k 1) twice. Keeping 4 sts at sleeve edge and the front band as before in moss st, work even in stockinette st for 1 inch, ending at front edge.

Neck Shaping: **Next row**: Bind off 7 sts, work across. Keeping sleeve edge in moss st, continue in stockinette st, decreasing one st at neck edge every other row twice. Work even on 30 sts until sleeve measures same as on Back. Bind off.

Continued on page 23

COAT *Continued from page 22*

RIGHT FRONT Work same as Left Front for 7 rows. **8th row** (front edge): (K 1, p 1) twice; k across remaining sts. **9th row**: P across to last 5 sts, k 1, (p 1, k 1) twice—front band. Position of front band has been established. Work to correspond with Left Front and Sleeve, reversing shapings.

Press lightly. Sew side, sleeve and shoulder seams.

COLLAR With right side facing and leaving front bands free, pick up and k 12 sts across right front neck, 19 sts across back of neck and 12 sts across left front neck—43 sts. Work in moss st for 9 rows. Bind off loosely in pattern.

Continued on page 24



LAZY DAISY STITCH



EMBROIDERY Using Tapestry Needle and Embroidery Floss, with Beauty Rose make 7 sets of 2 lazy daisy sts, $\frac{1}{2}$ inch long (below) inside each moss st front band; make 1 lazy daisy st in each lower corner and 23 sets of 2 lazy daisy sts above lower border. With Green make a French knot (below) in center of each set as shown. Embroider same way above sleeve borders.

DRESS


FRONT Work same as Back to within 2nd Dec Row. 2nd Dec Row: Decreasing 8 sts evenly, p across—35 sts. Working first and last 4 sts in moss st for arm-hole edges and remaining 27 center sts in stockinette st, work even for $\frac{3}{4}$ inch. Work in moss st across all sts for $\frac{1}{2}$ inch more.

Neck Shaping: Work across 11 sts and slip these sts on a stitch holder. Bind off next 13 sts for neck, work over remaining 11 sts. Continue in moss st over sts on needle only, decreasing one st at neck edge every other row twice. Work even over remaining 9 sts in moss st until front measures same as back. Bind off. Slip sts from stitch holder on needle, attach yarn at neck edge and work to correspond to other side.

Press lightly. Leaving armhole edges free, sew side seams. Sew shoulder seams. Sew 2 snap fasteners to back opening. Embroider above lower moss stitch border same as for Coat.

BONNET

Starting at lower edge, cast on 77 sts. Work in moss st for 7 rows. Work in stockinette st until total length is 3 inches. Continue in stockinette st, decreasing one st at both ends of every row until one st remains. Fasten off. Press lightly. Sew side seam. Embroider above moss st border same as for Coat. Tack point of bonnet to seam 1½ inches above lower edge.



FRENCH KNOTS

BABY DOLL SET

Continued from page 23

Back.

plete to correspond with other half of first st at center and cast on 3 sts. Complete to correspond with other half of first row of Back Opening is 1½ inches. Continue in moss st across all sts for ½ inch more. Bind off. Place sts from stitch holder on needle, attach yarn to for Coat. Tack point of bonnet to seam 1½ inches above lower edge.

Continued on page 25




FIG. 1 STAR STITCH

Don't know how to
Knit or Crochet?
You'll find this book
at your favorite
art needlework
counter... 29¢



ch	chain	sp(s)	space(s)	rnd	round	sc	single crochet	h dc	half double crochet	dc	double crochet	tr	treble	sl st	slip stitch
dec	decrease	beg	beginning	tog	together	p.s.s.o.	pass slipped	stitch over	inc	increase	p	purl	inc	increase	stitch over

ABBREVIATIONS

* Repeat whatever follows the * as many times as specified. () Do what is in parentheses the number of times indicated.

PANTIES

BACK Starting at waist, cast on 35 sts. Starting with a p row, work in stockinette st for 3 rows. Eyelet row: * K 2 tog, O. Repeat from * across, ending with K 1. Continue in stockinette st until total length is 3 inches. Next 7 rows: Work in moss st as for Coat. Bind off in pattern.

POM-PON Cut 2 cardboard circles, each $\frac{3}{4}$ inch in diameter. Cut a hole $\frac{1}{2}$ inch in diameter in center of each circle. Cut 3 yards of yarn. Place cardboard circles together and wind around the double circles, drawing yarn through center and over edge until center hole is filled. Cut yarn around outer edge between the 2 circles. Double $\frac{1}{2}$ yard length of yarn. Slip between the 2 cardboards and the securely around strands of pompon. Remove cardboard and trim evenly. Sew to point of bonnet.

BOOTEES

Starting at one narrow edge, cast on 17 sts. Work in moss st for 7 rows. Next row—top edge: K 1, (p 1, k 1) twice; p across. Following row—sole edge: K to within last 4 sts, (p 1, k 1) twice. Repeat last 2 rows alternately until total length is 3 inches. Then work in moss st for 7 rows. Bind off in pattern. Press lightly. Fold lengthwise in half and sew narrow edges together for front seam. Sew stockinette st edges together for sole seam. Embroider below moss st border same as for Coat.

FRONT Work same as Back.

BONNET *Continued from page 24*



These versions of couturier clothes require no complicated sewing techniques. Carefully read the general directions below for hints to make your sewing easier and the results more professional. Then sort through the leftover fabric from sewing projects for your family and salvage the suitable bits of fabric.

GENERAL DIRECTIONS FOR EASIER SEWING

1. **Select appropriate fabrics** for proportions of the doll; light to medium weight fabrics with small designs are best. Do not use fabrics which ravel badly.
2. **Cut out pattern pieces** for the garment to be made. Actual size patterns are found in back of book.
3. **Pin pattern pieces to fabric** following grain lines indicated on pattern pieces. For pieces to be cut on a fold, fold fabric on straight of grain (right sides together) and pin pattern in position, "fold line" of pattern on fold line of fabric.

When a pattern piece (not on a fold) is to be cut out twice, use the fabric folded double, right sides together, and cut both at the same time. If the fabric scraps are too small and the sections must be cut singly, be sure to reverse the pattern for the second piece to provide a left as well as a right section.

For shorter version of wedding dress, boy's shirt or bell bottom trousers, **fold**, do not cut, pattern pieces so that they can be re-used for the longer garments. Pin top of pattern in position on fabric,

fold bottom of pattern up out of the way along indicated line, and carefully cut out fabric so as not to clip pattern.

4. **Cutting** must be done with great care; the narrow $\frac{1}{4}$ " seam allowances can be trimmed away with one careless snip of the scissors.

Notches are marked, not cut.

5. **Marking** should be done on wrong side of fabric with dressmaker's carbon paper and tracing wheel or the edge of a blunt knife. Mark **all** seam lines; seams are narrow and must be stitched with complete accuracy! Indicate notches with a traced line across the seam allowance; mark darts as usual.

6. **Clipping** in seam allowances must never be more than $\frac{1}{8}$ ".

7. **A short stitch length** (about 15 stitches per inch) should be used throughout.

8. **Press frequently!** Finger pressing may be sufficient for many fabrics. Be sure to give each garment a final pressing.

Of course, you'll want to use COATS & CLARK'S Mercerized Sewing thread! Remember to pick your thread one shade darker than fabric color.



Bridal Outfit

Illustrated in color on front cover



The tour de force in any doll's wardrobe—a wedding dress, complete with gloves and veil. Pick your most elegant white or pastel fabric scrap for this lovely ensemble.


The dress, a six-gored princess style with straight lines, can be made full length or street length, with or without sleeves.

If necessary, underline dress to maintain a crisp look (batiste is a good choice). Cut underlining from dress pattern pieces, stay-stitch to wrong side of dress sections $\frac{1}{8}$ " from edge, and treat the two fabrics as one.



WEDDING DRESS

1. Right sides together, stitch side fronts to center front and side backs to center back. Press seams open; clip where necessary (a).
2. On center backs, turn placket under $\frac{1}{8}$ " and topstitch. Right sides together, join backs to front at shoulder seams. Press seams open.




Continued on page 28

WEDDING DRESS

Continued from page 27

- Clip neck edge at $\frac{1}{4}$ " intervals; turn under $\frac{1}{4}$ " and topstitch. Stitch center back seam from bottom edge to placket. Press seam open and placket toward left side of dress (b).



- Finish armholes.

(A) Sleeveless—Clip armholes same as neckline; turn under $\frac{1}{4}$ " and topstitch.

(B) Set-in Sleeves—On unnotched sleeve edges, turn under $\frac{1}{4}$ " and topstitch. Stitch sleeves into armholes, matching sleeve notch to shoulder seam and ends of sleeve to side seam lines (b). Clip seam where necessary.

- Fold dress at shoulders, wrong side out; stitch side seams and press seams open.


- Turn up $\frac{1}{2}$ " hem around bottom edge, and slipstitch in place. Turn dress to right side and sew three tiny snaps down center back (c).




back- right side

OVERSKIRT

- Cut two sections from overskirt pattern, one of wedding dress fabric and one of lining fabric. Right sides together, join skirt and lining along hemline curve (d). Trim seam allowance, turn overskirt to right side, and press.




- Gather waistline to 5". Cut waistband from outer fabric, 1" by $5\frac{1}{2}$ "; at ends turn under $\frac{1}{4}$ ". Right sides together, stitch waistband to skirt (e). Trim seam and turn waistband to inside. Fold under raw edge, narrowing waistband to an even $\frac{1}{4}$ " width and slipstitch in place to inside of skirt.



e

OVERSKIRT Continued from page 28

- At waist sew a hook and eye. Trim overskirt with pearls scattered along the hemline; sew pearls on with one continuous thread running between skirt and lining fabrics (f).




f

HAT WITH VEIL

- From thin cardboard, cut a circle 1" in diameter for inside top of hat; from hat fabric, cut a circle 2" in diameter. Run a gathering thread $\frac{1}{8}$ " from outside edge of fabric, center cardboard on wrong side (g) and pull gathering thread tight. Secure thread ends.

- For hat band cut a rectangle 1" by 4". Turn in long edges $\frac{1}{4}$ " and fold band in half lengthwise. Whip edge of band to top of hat; start $\frac{1}{4}$ " from end of band and work from wrong side of top (h). Sew ends of band together; trim if seam allowance is more than $\frac{1}{8}$ ". Turn band down and top up.




g



h


- For veil cut a piece of net about 27" by 36". About 5" in from center front, gather a 3" circle of net slightly into a pouf (j). Tack veil on top of hat so that 5" of net will fall over doll's face. Sew pearls at center top of hat through pouf.



j

GLOVES

- Trace the two glove patterns onto a piece of tissue paper. Do not cut out.
- Cut a 4" by 6" square of net; fold in half and slip tissue paper underneath.
- Stitch along traced outline except at tops, tie off thread ends, and cut out gloves leaving $\frac{1}{8}$ " seam allowance around stitching (k).
- Tear away tissue and turn gloves to right side.



k

Boy Doll Outfit


Illustrated in color on back cover

For the "man of the house"—suit and shirt, complete with vest and tie. We used the same fabric for jacket, pants and vest, but you may prefer to combine different fabrics for the casual look of sports jacket and slacks with suede or vinyl vest. Shirt can be made with long or short sleeves.



SUIT JACKET



1. Fold pockets in half lengthwise, right sides out. Turn in $\frac{1}{8}$ " at ends and slip-stitch closed. Position pockets on jacket front sections as shown and stitch in place $\frac{1}{8}$ " from raw edge (a). Fold on stitching line to cover raw edge; hip pockets fold down and top pocket folds up. Tack ends to jacket.



2. On jacket back section turn under bottom edge $\frac{1}{4}$ " and topstitch. Right sides together, stitch front sections to back section at shoulder seams only.


3. Place right sides of collar pieces together; stitch around unnotched edges. Trim seams, turn collar to right side and press. Place collar to right side of jacket; match edge of collar to jacket front notches, center notch on collar to center notch on jacket back. Stitch.

4. As shown (b), turn under $\frac{1}{4}$ " on facing and topstitch. Place facing and jacket right sides together, match raw edges, and stitch (c). Clip curves and turn facing to inside; press. Tack facing to inside of jacket at shoulder seams.



5. Turn under $\frac{1}{4}$ " at bottom of sleeves and topstitch. Stitch sleeves into armholes, matching sleeve notch to jacket back notch; clip sleeve as indicated on pattern. Fold jacket at shoulder seams, wrong side out. In one continuous seam, stitch sleeve underarm and side seam. Clip underarm curve and press.

6. Sew on three tiny snaps; on outside sew buttons over snaps (d). For a more open lapel, omit top snap and button.



SUIT PANTS

1. At bottom of pant legs turn under $\frac{1}{4}$ " and topstitch.

2. Right sides together, stitch center back seam from crotch to waist and center front seam from crotch to placket. Clip curve and press seam open. Fold left side of placket under on seam line; topstitch $\frac{1}{4}$ " from edge to simulate a fly (e). On other side turn under raw edge $\frac{1}{8}$ " and stitch.

3. Right sides together, stitch pant legs in one continuous seam (f). Clip curve and press.

4. At waistline turn under $\frac{1}{4}$ " and topstitch. Spread pants flat, still wrong side out. Starting at bottom of each leg, stitch a $\frac{1}{16}$ " tuck at sides, widening to $\frac{1}{8}$ " at waistline (f).

5. Turn pants to right side. At front opening sew two snaps. Press.

VEST


Vest may be lined or unlined; sewing directions are given for both versions. For a lined vest cut two sections, one of vest fabric and one of lining fabric. For an unlined vest use felt, suede, or vinyl; and cut one pattern, omitting all seam allowances except side seams.

Lined Vest

1. Stitch side seams on vest and lining; press seams open.

2. Place right sides of vest and lining together, seams and edges matching. Stitch around outside edges, as shown, leaving a $1\frac{1}{2}$ " opening at lower edge (g) for turning; do not stitch armholes.

Continued on page 32



BOY DOLL OUTFIT

Continued from page 31

Trim seams and clip curves. Turn vest to right side, tuck seam allowance inside, slipstitch the opening closed and press.

3. On both lining and vest clip armhole seam allowances, turn to inside and blind-stitch.

4. To close vest, sew on three tiny snaps; on right side sew three tiny buttons over snaps (h).

Unlined Vest

1. Stitch side seams; press seams open.

2. Sew on snaps and buttons as instructed under Lined Vest Step 4.

BOY'S SHIRT

1. Turn under $\frac{1}{8}$ " at center front edges and topstitch. Right sides together, stitch front sections to shirt back at shoulder seams only; press seams open.

2. Fold collar in half lengthwise, wrong side out, and stitch across ends. Trim corners, turn collar to right side and press.

3. Right sides together, pin collar to shirt neck, matching raw edges and notches (if necessary, carefully clip neckline $\frac{1}{8}$ "). Fold front facing to outside and stitch neckline (j).

4. At bottom of sleeves turn $\frac{3}{8}$ " hem to the right side and topstitch to simulate cuffs. Right sides together, pin sleeves into armholes, clipping armholes where necessary; stitch (k).


5. In a single operation, stitch side seams and underarm seams (l). Press and turn shirt to right side. Turn under $\frac{1}{4}$ " around bottom edge and topstitch.

6. Sew three tiny snaps down center front. On right side, sew three tiny buttons over snaps.


Continued on page 33




h



j



k



l

Sports Outfit

Illustrated on Page 19



The newest in sportswear—bell bottom trousers! Especially appealing when combined with a sleek little sleeveless top. We found corduroy the perfect fabric for both. To complete the costume—a lined jacket of cotton suede cloth with decorative tucking and tiny gold buttons.

Pants pattern can also be cut at shorter length for bermuda shorts; follow directions for bell bottom trousers.




SLEEVELESS TOP

1. Stitch darts. Right sides together, join front and back sections at shoulder seams only. Press seams open and darts to center front or center back.

2. Clip neckline and armholes, turn under $\frac{1}{4}$ " seam allowances and topstitch close to edges. Around neckline topstitch again, $\frac{1}{8}$ " from first stitching (a).

Continued on page 34



a


BOY DOLL OUTFIT... Continued from page 32

TIE

1. On all edges turn under $\frac{1}{8}$ "; fold tie in half lengthwise (right side out) and slipstitch all edges together. Press.

2. To form "knot" turn under one end as shown (m); bring short end around front to back and tack in place (n).


3. Cut three inches of $\frac{1}{8}$ " wide elastic. Sew both ends to underside of knot (o). Slip over doll's head and arrange elastic out of sight under shirt collar.



m



n



o

SPORTS OUTFIT ... Continued from page 33

3. Fold top wrong side out, matching raw edges at side seams; stitch and press seams open.


4. At bottom edge turn under $\frac{1}{4}$ " and topstitch close to fold; topstitch again $\frac{1}{8}$ " from first stitching.

5. Turn top to right side. At left center back turn under $\frac{1}{2}$ " and stitch; at right center back stitch $\frac{1}{8}$ " from raw edge. Sew on three tiny snaps (b).



JACKET


1. Cut one section from jacket fabric and one from lining fabric. Be sure to place pattern center back on fabric fold. On jacket mark position of curved seams with bastings on the **right** side; on lining mark with tracing paper on the **wrong** side.



HOW TO SEW ON SNAPS

Sew on snaps with small stitches through each hole as shown. On wrong side, take several small stitches before clipping thread. After one part is attached, rub chalk on it and close opening, rubbing snap lightly against fabric. Sew other half directly over chalk mark.

2. With jacket fabric right side up, fold and pin curved seam line; stitch $\frac{1}{8}$ " from fold (c). Repeat on lining section, but fold and stitch tuck on wrong side of fabric (c). Press all tucks toward sleeves.



3. Fold jacket at shoulders, wrong side out. Stitch underarms and side seams in one operation. Repeat on lining. On each section, clip underarm curves to stitching line. Press seams open.

4. Right sides facing, pin lining and jacket together around neckline and down center front edges (d). Stitch. Clip neck curve and turn lining to inside, slipping lining sleeves inside jacket sleeves.



JACKET Continued from page 34

5. On jacket and lining, fold under $\frac{1}{4}$ " at end of sleeves and around bottom hem; slipstitch lining to jacket.


6. Down center front, sew four tiny snaps. For a decorative effect on the right side, sew five tiny gold beads (e).



BELL BOTTOM TROUSERS


1. With fabric folded double, cut two fronts and two backs from pants pattern. Cut placket extensions on back sections only; fold placket extension on pattern out of the way when cutting out front sections.

2. Stitch darts and press toward center of pants. At waistline and bottom edge of each section, turn under $\frac{1}{4}$ "; if necessary, clip waistline between dart and side seam. Topstitch close to folded edge. On bottom edge topstitch again $\frac{1}{8}$ " from first stitching (f).



3. Right sides together, stitch center back seam from crotch to placket and center front seam from crotch to waistline. Clip curves and press seams open.

4. Place front and back of pants right sides together, and stitch side seams. Complete joining of pants by stitching inner leg seams in one operation (g). Clip where necessary, crease all seams open and turn pants to right side.



5. At left of front opening, fold placket back on seam line. On right side, turn extension only to inside; hold in place by sewing on two snaps (h).

